

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	179641	((correction change modification) near4 (trac\$4 manag\$6 monitor\$4 track\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S2	8727	S1 and (((store storing stored record \$4 track\$4) with (read\$4 access\$4 open\$4) with (entity entry row data)) same (database))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S3	294532	((correct\$4 chang\$4 modifi\$6 updat\$4) near4 (trac\$4 manag\$6 monitor\$4 track\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S4	15413	S3 and (((store storing stored record \$4 track\$4) with (read\$4 access\$4 open\$4) with (entity entry row data)) same (database))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S5	154	S4 and ((compar\$4 comparison) same (chang\$4 correct\$4 modifi\$6 updat\$4) same (read\$4 access\$4 opening opened) same (log record list) same (inconsisten\$4 consisten\$4 integrit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S6	4272	707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S7	369	S6 and (database near4 (consisten\$4 inconsisten\$4 integrity))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15

S8	100	S7 and ((chang\$4 updat\$4 modifi\$6 correct\$4) near4 (track\$4 trac\$4 monitor\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S9	21	S8 and ((compar\$4 comparison) near4 (log entry record list))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S10	476	(database near4 (consisten\$4 inconsisten\$4 integrity)) and ((read access) near3 (log history)) and ((correct\$4 updat\$4 modifi\$6 chang\$4) near4 (log history))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S11	50	S10 and ((compar\$4 comparison) with (log history entry record) with (inconsisten\$4 consisten\$4 differen \$4 "same" equal\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S12	1	(payload near3 database) same correction	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S13	254	(payload near3 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S14	86	S13 and ((correct\$4 updat\$4 chang\$4 modifi\$6) near4 (manag\$5 monitor\$4 track\$4 trac\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S15	46	S14 and analy\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S16	111207	(read\$4 access\$4) near4 (log history record)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S17	394908	(read\$4 access\$4) near4 (log\$4 history record\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15

S18	95979	S17 and ((updat\$4 correction\$4 chang\$4 modifi\$6) near4 (log\$4 record\$4 history))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S19	7810	S18 and ((compar\$4 comparison) near4 (log record history entry))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S20	51	S19 and (((read\$4 access\$4) near3 (log history record)) same ((indicat\$4 identifi\$4 designat\$4 distinguish\$4) near4 (leading independent primary dependent parent child secondary)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S21	5	S20 and (((compar\$4 comparison) near4 (log record history entry)) with (inconsisten\$4 consisten\$4 differen\$4 integrit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S22	424	S18 and (((compar\$4 comparison) near4 (log record history entry)) same (((determin\$4 indicat\$4 identifi\$5) with (inconsisten\$4 consisten\$4 differen\$4 corrupt\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S23	3	S22 and (((corrupt\$4 inconsisten\$4 consisten\$4 incorrect\$4) with (dependent secondary child) with (entity record item entry))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15

S24	841	((track\$4 stor\$4 monitor\$4 log\$4 with (read\$4 access \$4) with (history log)) and ((change correction updat\$4 modif\$6) with (log history)) and ((compare comparison compar \$4) with (read\$4 access\$4) with (change correction updat\$4 modif\$6)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S25	121	S24 and ((filter\$4 rule\$4 constraint\$4) with (correction change modif\$6 updat\$4) with (log history))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S26	292	database same (dependen\$4 with (integrity consistency corruption inconsistenc\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S27	18	S26 and (compar\$4 with (log history))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S28	1434	database and (dependen\$4 with (integrity consistency corruption inconsistenc\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S29	46	S28 and (compar\$4 with (log history))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15

S30	1699	database and ((chang\$4 correct\$4 updat\$4 modif\$6 edit \$4) near4 (track\$4 log\$4 history)) and ((dependen\$4 relat \$4 associat\$4) with (data record object entity) with (integrity consistency corruption inconsistenc\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S31	119	S30 and (compar\$4 with (log history))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S32	3	((((read access) near2 (log history)) with (compar\$4 comparison check \$4) with ((change edit\$4 modif\$4 correct\$4) near3 (log history))) same (inconsistenc\$4 consisten\$4 integrity corrupt\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S33	17	((((read access) near2 (log history)) with (compar\$4 comparison check \$4) with ((change edit\$4 modif\$4 correct\$4) near3 (log history)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S34	663	(database with (correct\$4 updat\$4 edit\$4 modif\$4)) same ((check\$4 identify\$4 determin \$4) with (inconsistenc\$4 consistenc\$4 corrupt \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S35	4	S34 and (((read access) near2 (history log)) same ((change edit correction) near3 (history log)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15

S36	37	((database same inconsistent\$4) and (((read access) near2 (history log)) same ((change edit correction) near3 (history log))))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S37	80445	((read\$4 access\$4 view\$4) near2 (history log\$4 record \$4)) and ((correct\$4 edit\$4 updat\$4 modif \$6 chang\$4) near3 (history log\$4 record \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S38	11035	S37 and ((history log record) with (compar \$4 comparis\$4 consistent\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S39	82	S38 and (((determin \$4 calculat\$4) near4 (baseline original standard)) and ((baseline original standard) near4 (consistent\$4 inconsistent\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S40	865	((detect\$4 prevent \$4) same (inconsistenc\$4 consistenc\$4 integrity) same (chang\$4 modif\$6 modification edit\$4)). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S41	255	((detect\$4 prevent \$4) with (inconsistenc\$4 consistenc\$4 integrity) with (chang \$4 modif\$6 modification edit\$4)). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S42	14	S41 and ((read\$4 access\$4) near2 (log \$4 record\$4 database history))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15

S43	36	((detect\$4 prevent\$4) same (inconsistenc\$4 consisten\$4 integrity) same (chang\$4 modif\$6 modification edit\$4) same (database data \$store repository)). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S44	60	((detect\$4 prevent\$4 identify\$4) same (inconsistenc\$4 consisten\$4 integrity) same (chang\$4 modif\$6 modification edit\$4) same (database data \$store repository)). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S45	401	((detect\$4 prevent\$4 identify\$4) same (inconsistenc\$4 consisten\$4 integrity) same (chang\$4 modif\$6 modification edit\$4 correct\$4) same (database data \$store repository)) and ((append\$4 add\$4 additional\$4 generat\$4) with (entity record) with (correct\$4 edit\$4 chang\$4 modif\$4 modification))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S46	231	((detect\$4 prevent\$4 identify\$4) same (inconsistenc\$4 consisten\$4 integrity) same (chang\$4 modif\$6 modification edit\$4 correct\$4) same (database data \$store repository)) and (((append\$4 add\$4 additional\$4 generat\$4) with (entity record) with (correct\$4 edit\$4 chang\$4 modif\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15

		modification)) same (database))				
S47	33676	"L2" and (((read\$4 access) near\$4 (history log database)) same (compar\$4 comparison match \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S48	188	S46 and (((read\$4 access) near\$4 (history log database)) same (compar\$4 comparison match \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S49	109	S48 and (database same (old\$4 former unedited unchanged) same (new changed edited modified corrected))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S50	70	((read access) near2 (history log)) same (compar\$4 comparison match \$4) same ((correct \$4 edit\$4 modif\$4 modified chang\$4) near4 (entity record row data))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/08/02 17:15
S51	12	((US-20020091718-\$ or US-20050033777-\$ or US-20050038823-\$ or US-20040015468-\$). did. or (US-7100195-\$ or US-7222133-\$ or US-5982890-\$ or US-6374264-\$ or US-7016921-\$ or US-5437026-\$ or US-5974425-\$ or US-5751958-\$).did.	US-PGPUB; USPAT	OR	ON	2009/08/02 17:15
S52	6	((access read) near2 (history log)) and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 17:15

8/ 2/ 2009 11:36:51 PM

C:\Documents and Settings\mle4\My Documents\EAST\Workspaces\10824437-

CORRECTI ONSERVER.w sp